



Sea Trucks Group

# Offshore Vessel Summary



[www.seatrucksgroup.com](http://www.seatrucksgroup.com)



Founded in 1977, the Sea Trucks Group is an international group of companies offering offshore installation services to the Oil & Gas industry worldwide, employing more than 2,500 people. The Group has been providing marine services to the major oil and construction companies in West Africa since the late 1970's and is now offering clients around the world a broad range of offshore installation services.

Sea Trucks maintains a new and flexible fleet of DP-3 offshore construction vessels. All DP-3 vessels are based on a hybrid design configuration that typically combines the following characteristics: large flexible unobstructed decks – ability to install rigid pipe, flexible pipe or both – high capacity cranes, ranging from 270 to 1,800 tons, a number of which have deepwater capability and heave compensated systems – large accommodation capacity of between 298 and 469 persons – dynamic positioning Class 3.

Due to the versatility of this fleet Sea Trucks has the ability to offer the following range of services: SURF, Pipelay, Accommodation, Heavy Lift and Decommissioning. Through its considerable engineering and operational capabilities in Lagos (Nigeria), Sharjah (U.A.E.), Rotterdam (The Netherlands) and Perth (Australia), the Sea Trucks Group can offer above services on a turnkey EPIC contract basis.

Sea Trucks also owns and operates a large and diversified fleet of marine support services vessels in West Africa that provide support to the oil and gas industry in the area. This fleet comprises 45 vessels varying from AHT / AHTS vessels, crew / pilot boats, construction / accommodation barges and offshore cargo barges.

You will find a summary of the group's offshore fleet in this booklet. More comprehensive specifications of the vessels can be provided on request.

**DP-3 CONSTRUCTION / ACCOMMODATION FLEET ..... 6**

Jascon 18 – Deepwater Pipelay Construction vessel .....	6
Jascon 25 – Pipelay Construction vessel .....	7
Jascon 28 – Accommodation Hook-up vessel .....	8
Jascon 30 – Pipelay Accommodation vessel .....	9
Jascon 31 – Construction Accommodation vessel .....	10
Jascon 34 – Pipelay Construction vessel .....	11

**SUBSEA SUPPORT FLEET ..... 12**

Jascon 55 – Construction Support vessel .....	12
---	----

**CONSTRUCTION / ACCOMMODATION FLEET ..... 13**

Jascon 2 – Pipelay Accommodation barge .....	13
Jascon 8 – Construction Accommodation barge .....	14
Jascon 9 – Accommodation barge .....	15
Jascon 27 – Accommodation barge .....	16
Jascon 33 / 37 – Work barge .....	17

**AHTS / LH FLEET ..... 18**

Jascon 3 – 4000 HP AH / LH tug .....	18
Jascon 4 – 4000 HP AH / LH tug .....	19
Jascon 10 – 8000 HP AHTS vessel .....	20
Jascon 11 / 12 – 5150 HP AH / LH tug, DPS-1 .....	21
Jascon 20 / 21 – 6140 HP AHTS vessel, DPS-2 .....	22
Jascon 22 – 8000 HP AHTS vessel .....	23
Jascon 23 – 5150 HP AHTS vessel, DPS-1 .....	24
Jascon 24 – 5150 HP AHTS vessel, DPS-1 .....	25
Jascon 26 – 5450 HP AHTS vessel, DPS-1 .....	26
Jascon 29 – 8000 HP AHTS vessel .....	27

Jascon 39 / 40 – 5500 HP AHTS vessel, DPS-1 .....	28
Jascon 45 / 46 – 4200 HP AHTS vessel .....	29
Jascon 57 – 5150 BHP Anchor Handling vessel .....	30
Walvis 1 – 4000 HP AHTS vessel .....	31
Walvis 2 – 6140 HP AHTS vessel .....	32
Walvis 5 – 3840 HP AHT Diving Maintenance vessel .....	33
Walvis 6 / 7 – 4200 HP AHTS vessel .....	34
Walvis 8 – 4400 HP AHT Diving Support vessel .....	35
Walvis 12 – 2560 HP LH tug .....	36

## **OFFSHORE CARGO BARGE FLEET ..... 37**

Jascon 17 / 17A – Offshore Cargo barge, dwt 11600 t .....	37
Jascon 32 / 36 – Offshore Cargo barge, dwt 7619 t .....	37
Jascon 38 – Offshore Cargo barge, dwt 8425 t .....	38
Jascon 47 / 48 – Offshore Cargo barge, dwt 9300 t .....	38
Jascon 51 – Offshore Cargo barge, dwt 7750 t .....	39
Jascon 60 / 61 – Offshore Cargo barge, dwt 5032 t .....	39

## **CREW / PILOT BOAT FLEET..... 40**

Jascon 49 – Crew / Pilot Boat .....	40
Jascon 50 – Crew / Pilot Boat .....	41

## **OFFSHORE SUPPORT FLEET ..... 42**

Jascon 52 / 53 – Multi Purpose vessel .....	42
Dolphin Carrier – Offshore Landing Craft .....	43
Dolphin Worker – Offshore Landing Craft .....	43

## **PORTABLE ACCOMMODATION BLOCKS..... 44**

PAB 1 – Portable Accommodation Block .....	44
--	----

## JASCON 18

DEEPWATER PIPELAY CONSTRUCTION VESSEL



Progress as at March 2012

### DIMENSIONS

■ Length o.a.	150.00 m
■ Breadth o.a.	36.80 m
■ Depth	15.10 m
■ Operating draft	6.00 m

### MACHINERY / THRUSTERS

■ Gen sets	8 x EMD @ 3580 kW
■ Emergency gen set	1 x CAT @ 1368 kW
■ Thrusters	5 x FPP retract. @ 2400 kW
	2 x FPP retract. @ 1800 kW
	2 x FPP @ 3000 kW
	1 x @ 1720 kW
■ Bow thruster	1 x @ 1720 kW

### POSITIONING SYSTEM DPS-3

Kongsberg K-POS 22 on working/navigation bridge with K-POS 12 control station at DP Back-up room

### ACCOMMODATION

Fully air-conditioned for 400 persons

### PIPELAY EQUIPMENT

■ Concept	central slot single joint S-lay below main deck, make SAS
■ Capacity	4"- 48" dia pipe
■ Tensioners	3 x 200 t each
■ Workstations	7
■ A & R system	2 x SWL 300 t
■ Stinger	120 m

### CRANES

- **Main crane** Mast crane, 1800/1200 t revolving, underwater cap. 300 t @ 3000 m, active heave compensated
- **Aux deck cranes** 2 x Pedestal type, 40 t @ 40 m each

### CLEAR DECK

1800 m<sup>2</sup>

### MOON POOL

8.00 x 5.80 m at SB

UNDER CONSTRUCTION

# JASCON 25

## PIPELAY CONSTRUCTION VESSEL



### DIMENSIONS

■ Length o.a.	118.80 m
■ Breadth o.a.	30.40 m
■ Extreme breadth	36.40 m
■ Depth	8.40 m
■ Operating draft	5.00 m

### MACHINERY / THRUSTERS

■ Gen sets	4 x CAT @ 1825 kW
■ Thrusters	2 x FPP @ 1825 kW
	4 x FPP retract. @1825 kW
■ Bow thruster	1 @ 1355 kW

### POSITIONING SYSTEM DPS-3

Kongsberg K-POS 22 on aft working bridge with K-POS 12 control station at forward navigation bridge

### ACCOMMODATION

Fully air-conditioned for 351 persons

### PIPELAY EQUIPMENT (OPTIONAL)

■ Concept	starboard mounted single joint S-lay, make SAS
■ Capacity	4"- 48" dia pipe
■ Tensioners	2 x 60 t each
■ Workstations	6
■ A & R winch	120 t
■ Stinger	55 m

### CRANES

■ Main crane	Mast crane 800 t @ 30 m, underwater cap. 50 t @ 720 m
■ Aux deck crane	Pedestal, 34 t @ 20 m

### GANGWAY

■ Hydraulic Heave Compensated Telescopic gangway	
- Max. length	42.50 m
- Length in mid position	36.50 m

### CLEAR DECK

800 - 1500 m<sup>2</sup>

## JASCON 28

ACCOMMODATION HOOK-UP VESSEL



### DIMENSIONS

- Length o.a. 111.00 m
- Breadth o.a. 30.48 m
- Extreme breadth 37.78 m
- Depth 6.71 m
- Operating draft 4.80 m

### MACHINERY / THRUSTERS

- Gen sets 3 x CAT @ 1825 kW
- Portable gen set 1 x Cummins @ 500 kVA
- Thrusters
  - 4 x FPP @ 1230 kW
  - 2 x FPP @ 800 kW
  - 1 x FPP retract. @ 1000 kW
- Bow thruster 1 x CPP @ 1355 kW

### POSITIONING SYSTEM DPS-3

Kongsberg K-POS 21 on aft working bridge with K-POS 11 control station at forward navigation bridge

### ACCOMMODATION

Fully air-conditioned for 462 persons

### CRANES

- Main crane Kingpost crane @ 270 t
- Aux deck crane Pedestal, 34 t @ 20 m

### GANGWAY

- Hydraulic Heave Compensated Telescopic gangway
  - Max. length 42.50 m
  - Length in mid position 36.50 m

### CLEAR DECK

1100 m<sup>2</sup>

### STORAGE AREA SHELTERED

360 m<sup>2</sup>

### DELIVERED

2007

### UPGRADED

2008

## JASCON 30

### PIPELAY ACCOMMODATION VESSEL



#### DIMENSIONS

- Length o.a. 111.00 m
- Breadth o.a. 30.48 m
- Extreme breadth 38.00 m
- Depth 6.71 m
- Operating draft 4.78 m

#### MACHINERY / THRUSTERS

- Gen sets 2 x CAT @ 1825 kW
- Portable gen set 1 x Cummins @ 500 kVA
- Thrusters 4 x FPP @ 1230 kW
- 1 x FPP retract. @ 1000 kW
- Bow thruster 1 @ 1355 kW

#### MOORING SYSTEM

- 10-pnt mooring system 4 x double drum winches @ 68/77 t
- 2 x single drum winches @ 100 t

#### POSITIONING SYSTEM DPS-3

Kongsberg Simrad SDP21 on aft working bridge with SDP11 control station at navigation bridge

#### ACCOMMODATION

Fully air-conditioned for 298 persons

#### PIPELAY EQUIPMENT (MODULAR)

- Concept starboard mounted single joint S-lay, make SAS
- Capacity 4"- 48" dia pipe
- Tensioner 1 x 100 t
- Workstations 6
- A & R winch 100 t
- Stinger 55 m

#### CRANES

- Main crane Kingpost crane @ 270 t
- Aux deck crane Pedestal, 34 t @ 20 m

#### GANGWAY

- Hydraulic Heave Compensated Telescopic gangway
- Max. length 34.50 m
- Length in mid position 29.50 m

#### CLEAR DECK

700 – 1100 m<sup>2</sup>

## JASCON 31

### CONSTRUCTION ACCOMMODATION VESSEL



#### DIMENSIONS

- Length o.a. 111.00 m
- Breadth o.a. 30.48 m
- Extreme breadth 37.30 m
- Depth 6.71 m
- Operating draft 5.00 m

#### MACHINERY / THRUSTERS

- Gen sets 7 x CAT @ 1825 kW
- Portable gen set 1 x Cummins @ 500 kVA
- Thrusters 4 x FPP retract. @ 1600 kW  
1 x FPP retract. @ 1200 kW
- Bow thruster 1 @ 1355 kW

#### POSITIONING SYSTEM DPS-3

Kongsberg K-POS 22 on aft working bridge with K-POS 12 control station at forward navigation bridge

#### ACCOMMODATION

Fully air-conditioned for 469 persons

#### CRANES

- Main crane Mast crane 400 t, deepwater hoist system with 3000 m hook travel + active heave compensation
- Aux deck crane Pedestal, 34 t @ 20 m

#### GANGWAY

- Hydraulic Heave Compensated Telescopic gangway
  - Max. length 42.50 m
  - Length in mid position 36.50 m

#### CLEAR DECK

1400 m<sup>2</sup>

#### MOONPOOL

7.90 x 6.06 m near midship at SB

**DELIVERED**

2011

## JASCON 34

### PIPELAY CONSTRUCTION VESSEL



#### DIMENSIONS

- Length o.a. 118.80 m
- Breadth o.a. 30.40 m
- Extreme breadth 37.20 m
- Depth 8.40 m
- Operating draft 5.00 m

#### MACHINERY / THRUSTERS

- Gen sets 4 x CAT @ 1825 kW
- Portable gen set 1 x Cummins @ 500 kVA
- Thrusters 2 x FPP @ 1825 kW  
4 x FPP retract. @ 1825 kW
- Bow thruster 1 @ 1355 kW

#### POSITIONING SYSTEM DPS-3

Kongsberg K-POS 22 on aft working bridge with K-POS 12 control station at forward navigation bridge

#### ACCOMMODATION

Fully air-conditioned for 335 persons

#### PIPELAY EQUIPMENT (MODULAR)

- Concept starboard mounted single joint S-lay, make SAS
- Capacity 4"- 48" dia pipe
- Tensioners 2 x 60 t each
- Workstations 6
- A & R winch 120 t
- Stinger 57.50 m

#### CRANES

- Main crane Mast crane 800 t @ 30 m, underwater cap. 50 t @ 720 m
- Aux deck crane Pedestal, 34 t @ 20 m

#### GANGWAY

- Hydraulic Heave Compensated Telescopic gangway
  - Max. length 42.50 m
  - Length in mid position 36.50 m

#### CLEAR DECK

800 – 1500 m<sup>2</sup>

#### MOONPOOL

7.90 x 7.20 m near midship at PS

## JASCON 55

### CONSTRUCTION SUPPORT VESSEL



#### DIMENSIONS

- Length o.a. 78.00 m
- Breadth o.a. 20.00 m
- Depth 6.50 m
- Operating draft 4.75 m

#### MACHINERY

- Gen sets 2 x 500 kW Caterpillar  
2 x 800 kW Caterpillar
- Thrusters 2 x azimuth, Lips CS250-S / WN-K
- Bow thruster 2 x KT88B3, CPP, 650 kW
- Power output 4950 HP

#### MOORING SYSTEM

- 4-pnt mooring winches 4 x 40 t @ 10 m / min

#### DYNAMIC POSITIONING

DPS-2 Class

#### PERFORMANCE

- Speed 12 knots

#### FIRE FIGHTING

- Fi-Fi - 1 Class 1 (2 x 1500 m<sup>3</sup> / hr)

#### ACCOMMODATION

Fully air-conditioned for 172 persons

#### CRANES

- Deck Cranes  
KENZ Model: HC-120/3500 O.S.RL, 120 t by 10 m radius and 35 t by 30 m radius, rope capacity of main hoist 2300 m, rope capacity of auxiliary hoist 375 m, sub sea 1800 m  
KENZ Model: EHC 12/1800 O.S.RL, 12 t by 12 m radius, rope capacity 2000 m, sub sea 1800 m
- Provision Crane YSQP3/14, 3 t x 12 m, retractable boom 8-12 m, by Haitai

#### DECK EQUIPMENT

- ROV deck equipped with three independent power supply units (range 380-480 VAC, 50/60 Hz), F.W. hot water, S.W. & compressed air interfaces for ROV & SAT equipment

#### CLEAR DECK

700 m<sup>2</sup>

#### MOON POOL

7.60 x 6.00 m

**UNDER CONSTRUCTION**

**JASCON 2**

## PIPELAY ACCOMMODATION BARGE

**DIMENSIONS**

- Length o.a. 79.40 m
- Breadth o.a. 35.35 m
- Depth 4.27 m
- Operating draft 2.50/3.00 m

**MACHINERY**

- Gen sets 2 x 500 kW and 2 x 950 kW

**MOORING SYSTEM**

- 8-pnt mooring system  
4 double drum winches each with 1200 m x 38 mm wire
- Anchors 8 x delta flipper, 5 t each

**ACCOMMODATION**

Fully air-conditioned for 220 persons

**PIPELAY EQUIPMENT**

- Concept starboard mounted single joint S-lay, make SAS
- Capacity 4" - 32" dia pipe
- Tensioner 25 t
- Workstations 5
- A & R winch 25 t
- Stinger 35.30 m

**CRANES**

- Main crane Pedestal type 300 t @ 11 m
- Aux deck crane Pedestal type 34 t @ 20 m

## JASCON 8

### CONSTRUCTION ACCOMMODATION BARGE



#### DIMENSIONS

- Length o.a. 104.30 m
- Breadth o.a. 24.40 m
- Depth 5.50 m
- Operating draft 3.60 m

#### MACHINERY

- Gen sets 6 x Deutz @ 300 kW  
2 x CAT @ 1450 kW
- Portable gen set 1 x Cummins @ 100 kW

#### MOORING SYSTEM

- 8-pnt mooring system  
4 double drum winches 30 t each, each drum with  
1200 m x 52 mm wire
- Anchors 8 x Delta Flipper, 5 t each

#### ACCOMMODATION

Fully air-conditioned for 210 persons

#### CRANE

- Main crane Mast crane 160 t

#### CLEAR DECK

1200 m<sup>2</sup>

**DELIVERED**

2004

## JASCON 9

### ACCOMMODATION BARGE



#### DIMENSIONS

- Length o.a. 85.00 m
- Breadth o.a. 22.51 m
- Depth 5.00 m
- Operating draft 2.46 m

#### MACHINERY

- Gen sets 1 x 520 kW and 1 x 508 kW
- Portable gen set 1 x 136 kW

#### MOORING SYSTEM

- **8-pnt mooring system**  
8 point mooring fitted (each with 7 t anchors)  
4 x 1000 m x 40 mm  
4 x 650 m x 38 mm
- **Capstans** 4 x electric @ 8 t each

#### ACCOMMODATION

Fully air-conditioned for 271 persons

Several blocks can be removed – thus ensuring 650 m<sup>2</sup> free deck space

#### CRANES

- **Pedestal** 1 x 34 t @ 26 m  
1 x 7 t @ 16 m
- **Manual** 2 x 1 t @ 7 m
- **Electric overhead traveling gantry** 1 x 1 t  
1 x 2 t

#### CLEAR DECK

200 m<sup>2</sup>

#### MOON POOL

2.00 x 5.15 m

**BUILT**  
1988

**DELIVERY AFTER UPGRADE**  
2002

## JASCON 27

ACCOMMODATION BARGE



### DIMENSIONS

- Length o.a. 93.14 m
- Breadth o.a. 25.80 m
- Depth 6.10 m
- Operating draft 3.15 m

### MACHINERY

- Gen sets 5 x Volvo Penta @ 280 kVA each

### MOORING SYSTEM

- Anchor winch 1 x
- Capstans 2 x 15 t
- Anchor 1 x 5 t

### ACCOMMODATION

Fully air-conditioned for up to 608 persons  
152 x 2-man cabins, can be upgraded to 4-man cabins

### CRANE

One hydraulic crane, 18 t

### CLEAR DECK

275 m<sup>2</sup>

## JASCON 33 / 37

### WORK BARGE



#### DIMENSIONS

- Length o.a. 91.50 m
- Breadth o.a. 24.40 m
- Depth 5.50 m
- Operating draft 4.30 m

#### MACHINERY

- Gen sets 2 x

#### MOORING SYSTEM

- 8-pnt mooring system  
4 double drum winches with 1200 m x 38 mm dia wire
- Anchors 8 x Delta Flipper, 5 t

#### ACCOMMODATION

Fully air-conditioned

**Jascon 33:** 200 persons

**Jascon 37:** 232 persons

#### CRANE

- Crawler crane 50 t, boom length 30 m

#### CLEAR DECK

1000 m<sup>2</sup>

## JASCON 3

4000 HP AH / LH TUG



### DIMENSIONS

- Length o.a. 32.80 m
- Breadth o.a. 10.00 m
- Depth 4.15 m
- Operating draft 3.20 m

### MACHINERY

- Propulsion engines 2 x CAT @ 2000 HP
- Bow thruster 1 @ 55 kW
- Gen sets 2 x CAT @ 145 kW

### PERFORMANCE

- Speed 12 knots
- Bollard pull 52 t

### ACCOMMODATION

Fully air-conditioned for 12 persons

### DECK EQUIPMENT

- Towing winch 70 t, 750 m x 44 mm dia wire
- Tugger winch 10 t
- Stern roller 3.00 x 1.00 m

### CLEAR DECK

114 m<sup>2</sup>

**DELIVERED**

2002

## JASCON 4

4000 HP AHTS VESSEL



### DIMENSIONS

- Length o.a. 31.32 m
- Breadth o.a. 11.40 m
- Depth 4.96 m
- Operating draft 4.00 m

### MACHINERY

- Propulsion engines 2 x CAT @ 2000 HP
- Gen sets 2 x CAT @ 145 kW

### PERFORMANCE

- Speed 13 knots
- Bollard pull 53 t

### ACCOMMODATION

Fully air-conditioned for 16 persons

### DECK EQUIPMENT

- Towing winch 60 t, 1000 m x 44 mm dia wire
- Tugger winch 10 t
- Stern roller 3.00 x 1.00 m

### CLEAR DECK

147 m<sup>2</sup>

DELIVERED

2004

## JASCON 10

8000 HP AHTS VESSEL



### DIMENSIONS

- Length o.a. 58.12 m
- Breadth o.a. 13.00 m
- Depth 6.35 m
- Operating draft 5.00 m

### MACHINERY

- Propulsion engines 2 x SW @ 4000 HP
- Gen sets 4 x 142 kW
- Bow thruster 1 x 315 HP

### PERFORMANCE

- Speed 16 knots
- Bollard pull 93 t

### ACCOMMODATION

Fully air-conditioned for 26 persons

### DECK EQUIPMENT

- Anchor handling winch electr. 92 kW
- Towing drum 1000 m x 61 mm wire
- Work drum 760 m x 58 mm wire
- AH drum 760 m x 58 mm wire
- Wildcats 2 above chain lockers
- Stern roller 5.00 x 2.00 m

### DISCHARGE RATES

- Drill water 200 m<sup>3</sup> / hr @ 60 m
- Fresh water 60 m<sup>3</sup> / hr @ 60 m
- Fuel 130 m<sup>3</sup> / hr @ 60 m
- Dry bulk 1056 m<sup>3</sup> / hr @ 18 bar
- Brine 130 m<sup>3</sup> / hr @ 60 m

### CLEAR DECK

300 m<sup>2</sup>

### DELIVERED

1974

### REBUILT

2007

## JASCON 11 / 12

5150 HP AH / LH TUG, DPS-1



### DIMENSIONS

■ Length o.a.	40.00 m
■ Breadth o.a.	11.40 m
■ Depth	4.95 m
■ Operating draft	4.40 m

### MACHINERY

■ Propulsion engines	2 x CAT @ 2575 HP
■ Gen sets	3 x CAT @ 320 kW
■ Stern thrusters	2 x CPP azimuth
■ Bow thruster	1 x 370 kW

### PERFORMANCE

■ Speed	13 knots
■ Bollard pull	63 t

### DYNAMIC POSITIONING

DPS-1

### ACCOMMODATION

Fully air-conditioned for 15 persons

### DECK EQUIPMENT

■ Towing winch	1 x double drum
■ Tugger winch	2 @ 10 t
■ Anchor windlass	1 @ 150 t
■ Stern roller	3.80 x 1.40 m

### CLEAR DECK

110 m<sup>2</sup>

**DELIVERED**

Jascon 11 2006

Jascon 12 2007

## JASCON 20 / 21

6140 HP AHTS VESSEL, DPS-2



### DIMENSIONS

- Length o.a. 50.00 m
- Breadth o.a. 13.80 m
- Depth 6.00 m
- Operating draft 4.80 m

### MACHINERY

- Propulsion engines 2 x EMD @ 3070 HP
- Gen sets 3 x CAT @ 500 kW
- Stern thrusters 2 x CPP azimuth
- Bow thrusters 2 @ 370 kW

### PERFORMANCE

- Speed 13 knots
- Bollard pull 82 t

### DYNAMIC POSITIONING

DPS-2

### ACCOMMODATION

Fully air-conditioned for 30 persons

### DECK EQUIPMENT

- Tugger winch 2 @ 10 t
- Towing winch 1 x double drum
- Anchor windlass 1 @ 8 t
- Deck crane 5 t @ 16 m

### CLEAR DECK

269 m<sup>2</sup>

### DELIVERED

Jascon 20 2009

Jascon 21 2008

## JASCON 22

8000 HP AHTS VESSEL



### DIMENSIONS

- Length o.a. 58.12 m
- Breadth o.a. 13.00 m
- Depth 6.30 m
- Operating draft 5.00 m

### MACHINERY

- Propulsion engines 2 x SW @ 4000 HP
- Gen sets 4 x 180 kW
- Bow thruster 1 x 315 HP

### PERFORMANCE

- Speed 16 knots
- Bollard pull 80 t

### ACCOMMODATION

Fully air-conditioned for 21 persons

### DECK EQUIPMENT

- Anchor handling winch electr. 92 kW
- Towing drum 1000 m x 61 mm wire
- Work drum 760 m x 58 mm wire
- AH drum 760 m x 58 mm wire
- Wildcats 2 above chain lockers
- Stern roller 5.00 x 2.00 m

### DISCHARGE RATES

- Drill water 200 m<sup>3</sup> / hr @ 60 m
- Fresh water 60 m<sup>3</sup> / hr @ 60 m
- Fuel 130 m<sup>3</sup> / hr @ 60 m
- Dry bulk 1056 m<sup>3</sup> / hr @ 18 bar

### CLEAR DECK

300 m<sup>2</sup>

**DELIVERED**

1975

**REBUILT**

2009

## JASCON 23

5150 HP AHTS VESSEL, DPS-1



### DIMENSIONS

- Length o.a. 54.00 m
- Breadth o.a. 14.95 m
- Depth 6.10 m
- Operating draft 4.95 m

### MACHINERY

- Propulsion engines 2 x CAT @ 2575 HP
- Gen sets 3 x CAT @ 315 kW
- Portable gen set 1 x Perkins, 52 kW
- Bow thrusters 1 x CPP @ 5 t

### PERFORMANCE

- Speed 13 knots
- Bollard pull 63 t

### DYNAMIC POSITIONING

DPS-1

### ACCOMMODATION

Fully air-conditioned for 42 persons

### DECK EQUIPMENT

- Tugger winch 2 @ 10 t
- Towing winch 1 x double drum
- Anchor windlass 1 @ 8 t
- Stern roller 4.00 x 1.60 m
- Deck crane 3 t @ 9 m

### DISCHARGE RATES

- Drill water 100 m<sup>3</sup> / hr @ 75 m
- Fresh water 100 m<sup>3</sup> / hr @ 75 m
- Fuel 150 m<sup>3</sup> / hr @ 75 m
- Mud 2 x 75 m<sup>3</sup> / hr @ 75 m

### CLEAR DECK

350 m<sup>2</sup>

### DELIVERED

2006

## JASCON 24

5150 HP AHTS VESSEL, DPS-1



### DIMENSIONS

■ Length o.a.	54.00 m
■ Breadth o.a.	14.95 m
■ Depth	6.10 m
■ Operating draft	4.95 m

### MACHINERY

■ Propulsion engines	2 x CAT @ 2575 HP
■ Gen sets	3 x CAT @ 315 kW
■ Portable gen set	1 x Perkins, 52 kW
■ Bow thrusters	1 x CPP @ 5 t

### PERFORMANCE

■ Speed	13 knots
■ Bollard pull	63 t

### DYNAMIC POSITIONING

DPS-1

### ACCOMMODATION

Fully air-conditioned for 42 persons

### DECK EQUIPMENT

■ Tugger winch	2 @ 10 t
■ Towing winch	1 x double drum
■ Anchor windlass	1 @ 8 t
■ Stern roller	4.00 x 1.60 m
■ Deck crane	3 t @ 9 m

### DISCHARGE RATES

■ Drill water	100 m <sup>3</sup> / hr @ 75 m
■ Fresh water	100 m <sup>3</sup> / hr @ 75 m
■ Fuel	150 m <sup>3</sup> / hr @ 75 m
■ Mud	2 x 75 m <sup>3</sup> / hr @ 75 m

### CLEAR DECK

350 m<sup>2</sup>

DELIVERED

2006

## JASCON 26

5450 HP AHTS VESSEL, DPS-1



### DIMENSIONS

- Length o.a. 54.00 m
- Breadth o.a. 14.95 m
- Depth 6.10 m
- Operating draft 4.95 m

### MACHINERY

- Propulsion engines 2 x CAT @ 2722 HP
- Gen sets 3 x CAT @ 315 kW
- Portable gen set 1 x Perkins, 52 kW
- Bow thrusters 1 x CPP @ 5 t

### PERFORMANCE

- Speed 13 knots
- Bollard pull 65 t

### DYNAMIC POSITIONING

DPS-1

### ACCOMMODATION

Fully air-conditioned for 30 persons

### DECK EQUIPMENT

- Tugger winch 2 @ 10 t
- Towing winch 1 x double drum
- Anchor windlass 1 @ 8 t
- Stern roller 4.00 x 1.60 m
- Deck crane 3 t @ 9 m

### DISCHARGE RATES

- Drill water 100 m<sup>3</sup> / hr @ 75 m
- Fresh water 100 m<sup>3</sup> / hr @ 75 m
- Fuel 150 m<sup>3</sup> / hr @ 75 m
- Mud 2 x 75 m<sup>3</sup> / hr @ 75 m

### CLEAR DECK

350 m<sup>2</sup>

### DELIVERED

2006

## JASCON 29

8000 HP AHTS VESSEL



### DIMENSIONS

- Length o.a. 58.12 m
- Breadth o.a. 13.00 m
- Depth 6.35 m
- Operating draft 5.00 m

### MACHINERY

- Propulsion engines 2 x SW @ 4000 HP
- Gen sets 4 x 142 kW
- Bow thruster 1 x 315 HP

### PERFORMANCE

- Speed 16 knots
- Bollard pull 86 t

### ACCOMMODATION

Fully air-conditioned for 26 persons

### DECK EQUIPMENT

- Anchor handling winch electr. 92 kW
- Towing drum 1000 m x 61 mm wire
- Work drum 760 m x 58 mm wire
- AH drum 760 m x 58 mm wire
- Wildcats 2 above chain lockers
- Stern roller 5.00 x 2.00 m

### DISCHARGE RATES

- Drill water 200 m<sup>3</sup> / hr @ 60 m
- Fresh water 60 m<sup>3</sup> / hr @ 60 m
- Fuel 130 m<sup>3</sup> / hr @ 60 m
- Dry bulk 1056 m<sup>3</sup> / hr @ 18 bar
- Brine 130 m<sup>3</sup> / hr @ 60 m

### CLEAR DECK

300 m<sup>2</sup>

**DELIVERED**  
1975

**REBUILT**  
2006

## JASCON 39 / 40

5500 HP AHTS VESSEL, DPS-1



### DIMENSIONS

- Length o.a. 57.50 m
- Breadth o.a. 13.80 m
- Depth 5.50 m
- Operating draft 4.80 m

### MACHINERY

- Propulsion engines 2 x CAT @ 2750 HP
- Gen sets 3 x CAT @ 345 kW
- Bow thrusters 1 x CPP @ 5 t

### PERFORMANCE

- Speed 13 knots
- Bollard pull 60 t

### DYNAMIC POSITIONING

DPS-1

### ACCOMMODATION

Fully air-conditioned for 34 persons

### DECK EQUIPMENT

- Tugger winch 2 @ 5 t
- Towing winch 1 x double drum
- Anchor windlass 1 @ 9 t
- Stern roller 200 t SWL
- Deck crane 3 t @ 9 m

### DISCHARGE RATES

- Drill water 75 m<sup>3</sup> / hr @ 60 m
- Fresh water 75 m<sup>3</sup> / hr @ 60 m
- Fuel 100 m<sup>3</sup> / hr @ 60 m
- Mud 2 x 75 m<sup>3</sup> / hr @ 80 m

### CLEAR DECK

350 m<sup>2</sup>

**DELIVERED**

2007

## JASCON 45 / 46

4200 HP AHTS VESSEL



### DIMENSIONS

■ Length o.a.	40.00 m
■ Breadth o.a.	11.80 m
■ Depth	4.55 m
■ Operating draft	3.20 m

### MACHINERY

■ Propulsion engines	2 x CAT @ 2100 HP
■ Gen Sets	3 x Cummins @ 350 kW

### PERFORMANCE

■ Speed	11.5 knots
■ Bollard pull	48 t

### ACCOMMODATION

Fully air-conditioned for 20 persons

### DECK EQUIPMENT

■ Tugger winch	2 @ 10 t
■ Towing/AH winch	1 x double drum
■ Anchor windlass	1 @ 4 t
■ Stern roller	4.50 x 1.40 m
■ Deck crane	3 t @ 14 m

### DISCHARGE RATES

■ Fresh water	20 m <sup>3</sup> / hr @ 30 m
■ Fuel	20 m <sup>3</sup> / hr @ 30 m

### CLEAR DECK

125 m<sup>2</sup>

## JASCON 57

5150 BHP ANCHOR HANDLING VESSEL



### DIMENSIONS

■ Length o.a.	50.00 m
■ Breadth o.a.	13.20 m
■ Depth	5.20 m
■ Operating draft	4.00 m

### MACHINERY

■ Propulsion engines	2 x CAT @ 2575 BHP
■ Gen sets	3 @ 245 kW
■ Bow thruster	1 @ TFN-300

### PERFORMANCE

■ Speed	12.5 knots
■ Bollard pull	62 t

### ACCOMMODATION

Fully air-conditioned for 38 persons

### DECK EQUIPMENT

■ Towing winch	1 x detachable drum, 200 t
■ Tugger winch	2 @ 10 t
■ Anchor windlass	1

### CLEAR DECK

± 250 m<sup>2</sup>

**DELIVERED**

2012

# WALVIS 1

4000 HP AHTS VESSEL



## DIMENSIONS

- Length o.a. 53.60 m
- Breadth o.a. 12.02 m
- Depth 4.40 m
- Operating draft 3.80 m

## MACHINERY

- Propulsion engines 2 x CAT @ 2000 HP
- Gen sets 3 @ 99 kW
- Bow thruster 1 @ 300 HP

## PERFORMANCE

- Speed 14 knots
- Bollard pull 50 t

## ACCOMMODATION

Fully air-conditioned for 24 persons

## DECK EQUIPMENT

- Towing winch 1 x double drum, 157 t
- Tugger winch 1 @ 10 t
- Anchor windlass 1
- Stern roller 3.60 x 1.80 m

## DISCHARGE RATES

- Fresh water 80 m<sup>3</sup> / hr @ 61 m
- Fuel 70 m<sup>3</sup> / hr @ 61 m
- Dry bulk 70 m<sup>3</sup> / hr @ 52 m
- Liquid mud 80 m<sup>3</sup> / hr @ 61 m

## CLEAR DECK

300 m<sup>2</sup>

**DELIVERED**  
1982

**REBUILT**  
1996

## WALVIS 2

6140 HP AHTS VESSEL



### DIMENSIONS

■ Length o.a.	56.70 m
■ Breadth o.a.	12.20 m
■ Depth	5.20 m
■ Operating draft	4.40 m

### MACHINERY

■ Propulsion engines	2 x EMD @ 3070 HP
■ Gen sets	3 @ 99 kW
■ Bow thruster	1 @ 400 HP

### PERFORMANCE

■ Speed	14 knots
■ Bollard pull	72 t

### ACCOMMODATION

Fully air-conditioned for 19 persons

### DECK EQUIPMENT

■ Towing winch	1 x double drum, 157 t
■ Tugger winch	1 @ 20 t
■ Anchor windlass	1
■ Stern roller	3.60 x 1.80 m
■ Crane	fold-down type 4.1 t @ 1.80 m

### DISCHARGE RATES

■ Fresh water	120 m <sup>3</sup> / hr @ 61 m
■ Fuel	190 m <sup>3</sup> / hr @ 61 m
■ Dry bulk	112 m <sup>3</sup> / hr @ 52 m
■ Liquid mud	121 m <sup>3</sup> / hr @ 61 m
■ Brine	121 m <sup>3</sup> / hr @ 61 m

### CLEAR DECK

329 m<sup>2</sup>

### DELIVERED

1975

### REBUILT

1997

## WALVIS 5

3840 HP AHT DIVING MAINTENANCE VESSEL



### DIMENSIONS

- Length o.a. 57.00 m
- Breadth o.a. 11.60 m
- Depth 4.80 m
- Operating draft 4.10 m

### MACHINERY

- Propulsion engines 2 x CAT @ 1920 HP
- Gen sets 3 x 99 kW
- Bow thruster 1 x 400 HP

### MOORING SYSTEM

- 4-pnt mooring system 4 single drum winches
- Anchors 9 Delta Flipper, 1.4 t each

### PERFORMANCE

- Speed 10 knots

### ACCOMMODATION

Fully air-conditioned for 44 persons

### DECK EQUIPMENT

- Towing winch 1 x double drum, 113 t
- Air winch 1 x for Zodiac
- Crane 1 x 13.6 t @ 3 m
- A-frame 1 @ 20 t @ 3 m from stern

### CLEAR DECK

224 m<sup>2</sup>

**DELIVERED**  
1980

**REBUILT**  
1998

## WALVIS 6 / 7

4200 HP AHTS VESSEL



### DIMENSIONS

- Length o.a. 61.00 m
- Breadth o.a. 13.15 m
- Depth 5.50 m
- Operating draft 4.80 m

### MACHINERY

- Propulsion engines 2 x Daihatsu @ 2100 HP
- Gen sets 3 x 150 kW
- Bow thruster 1 x 350 HP

### PERFORMANCE

- Speed 11 knots
- Bollard pull 53 t

### ACCOMMODATION

Fully air-conditioned for 18 persons

### DECK EQUIPMENT

- Towing winch 1 x double drum, 129 t
- Tugger winch 2 @ 2 t
- Capstan winch 2 @ 5 t
- Anchor windlass 2 @ 2.1 t

### DISCHARGE RATES

- Fuel oil 96 m<sup>3</sup> / hr
- Bulk 80 m<sup>3</sup> / hr @ 50 m

### CLEAR DECK

280 m<sup>2</sup>

**DELIVERED**

1982

**WALVIS 8**

4400 HP AHT DIVING SUPPORT VESSEL

**DIMENSIONS**

- Length o.a. 52.49 m
- Breadth o.a. 11.70 m
- Depth 5.60 m
- Operating draft 4.40 m

**MACHINERY**

- Propulsion engines 2 x Wartsila @ 2200 HP
- Gen sets 3 x Cummins @ 410 kW
- Bow thruster 1 x 295 kW

**MOORING SYSTEM**

- 4-pnt mooring system 4 single drum winches
- Anchors 4 x Delta Flipper, 1.5 t each

**PERFORMANCE**

- Speed 14 knots
- Bollard pull 57 t

**ACCOMMODATION**

Fully air-conditioned for 33 persons

**DECK EQUIPMENT**

- Towing winch 1 x double drum, 150 t
- Tugger winch 2 @ 10 t
- Stern roller 3.00 x 1.80 m

**DISCHARGE RATES**

- Fuel oil 90 m<sup>3</sup> / hr
- Fresh water 90 m<sup>3</sup> / hr

**CLEAR DECK**200 m<sup>2</sup>**DELIVERED**  
1974**REBUILT**  
2010

## WALVIS 12

2560 HP LH VESSEL



### DIMENSIONS

- Length o.a. 31.80 m
- Breadth o.a. 9.60 m
- Depth 4.15 m
- Operating draft 3.80 m

### MACHINERY

- Propulsion engines 2 x CAT @ 1280 HP
- Gen sets 2 x CAT @ 85 kW

### PERFORMANCE

- Speed 12 knots
- Bollard pull 35 t

### ACCOMMODATION

Fully air-conditioned for 10 persons

### DECK EQUIPMENT

- Towing winch 1
- Anchors 2 x 2.5 t

### CLEAR DECK

42 m<sup>2</sup>

**DELIVERED**

1998

**JASCON 17 / 17A**

## OFFSHORE CARGO BARGE

**DIMENSIONS**

- Length o.a. 87.87 m
- Breadth o.a. 30.48 m
- Depth 6.71 m

**TONNAGE**

- Deadweight 11600 t
- GRT 4861 t
- NRT 1458 t
- Loading capacity 10 t / m<sup>2</sup>

**DECK EQUIPMENT**

- Winches 1 x hand winch, 1 x double drum @ 15 t, towing bridle
- Stanchions 1 @ every 5 m
- H-beam 300 mm, 2 m high
- Towing brackets 2 x plus 1 emergency

**DELIVERED**  
2004

**JASCON 32 / 36****DIMENSIONS**

- Length o.a. 87.86 m
- Breadth o.a. 24.40 m
- Depth 5.50 m

**TONNAGE**

- Deadweight 7619 t
- NRT 944 t
- GRT 3,147 t
- Loading capacity 12 t / m<sup>2</sup>

**DECK EQUIPMENT**

- Winches 1 x hand winch  
1 x double drum @ 15 t, towing bridle
- Stanchions 1 @ every 5 m
- H-beam 300 mm, 2 m high
- Towing brackets 2 x plus 1 emergency

**DELIVERED**  
2006

## JASCON 38

### OFFSHORE CARGO BARGE

#### DIMENSIONS

■ Length o.a.	95.00 m
■ Breadth o.a.	26.00 m
■ Depth	6.00 m

#### TONNAGE

■ Deadweight	8425 t
■ GRT	3502 t
■ NRT	1050 t
■ Loading capacity	7 t / m <sup>2</sup>

#### DECK EQUIPMENT

■ Anchor equipment	1 x 1.5 t stockless bower anchor 1 x 220 m anchor wire of 38 mm dia 6 x 37 constructions FSWR 1 x anchor tail chain of 42 mm dia
■ Anchor winch	1 x 6 t
■ Towing brackets	2 x

#### DELIVERED

2006

## JASCON 47 / 48

#### DIMENSIONS

■ Length o.a.	91.50 m
■ Breadth o.a.	27.40 m
■ Depth	6.10 m

#### TONNAGE

■ Deadweight	9300 t
■ GRT	3937 t
■ NRT	1181 t
■ Loading capacity	10 t / m <sup>2</sup>

#### DECK EQUIPMENT

■ Anchor	1 x 1 t stockless anchor
■ Anchor winch	1 x 4 t, hand winch
■ Stanchions	24 sets of 3 m high
■ Towing brackets	3 x

#### DELIVERED

2008

## JASCON 51

### OFFSHORE CARGO BARGE



#### DIMENSIONS

- Length o.a. 73.24 m
- Breadth o.a. 27.46 m
- Depth 6.10 m

#### TONNAGE

- Deadweight 7750 t
- GRT 3190 t
- NRT 957 t
- Loading capacity 10 t / m<sup>2</sup>

#### DECK EQUIPMENT

- Anchor 1 x 1 t stockless anchor
- Anchor winch 1 x 4 t, hand winch
- Stanchions 22 sets of 3 m high
- Towing brackets 3 x

**DELIVERED**  
2009

## JASCON 60 / 61

#### DIMENSIONS

- Length o.a. 71.10 m
- Breadth o.a. 21.96 m
- Depth 4.57 m

#### TONNAGE

- Deadweight 5032 t
- GRT 2000 t
- NRT 600 t
- Loading capacity 12 t / m<sup>2</sup>

#### DECK EQUIPMENT

- Anchor 1 x 800 kg stockless anchor
- Anchor winch 1 x 4 t, hand winch
- Stanchions 24 sets of 3 m high
- Towing brackets 2 x

**UNDER CONSTRUCTION**

## JASCON 49

CREW / PILOT BOAT



### DIMENSIONS

- Length o.a. 20.10 m
- Breadth o.a. 5.20 m
- Depth 3.00 m

### MACHINERY

- Propulsion engines 2 x MAN D2842 LE 408 @ 1000 HP at 1850 rpm
- Gen set ONAN 17.5 MDKAE – 75C

### ACCOMMODATION

- Cabin (crew + passengers) 11 seats
- Cabin sink with small fridge and toilet

### PERFORMANCE

- Speed 19 knots

### NAVIGATION EQUIPMENT

- Automatic pilot Simrad Robertson AP45
- Radar 2 x Furuno
- GPS navigator Furuno GP-30/35
- Receiver Navtex NX500
- VHF radio DCS Sailor RT 2048
- Echo sounder Raytheon L750 F
- Tracker Raychart 630

### SAFETY EQUIPMENT

- Liferafts 12 persons

**DELIVERED**

2000

## JASCON 50

CREW / PILOT BOAT



### DIMENSIONS

- Length o.a. 20.10 m
- Breadth o.a. 5.20 m
- Depth 3.00 m

### MACHINERY

- Propulsion engines 2 x MAN D2842 LE 408 @ 1000 HP at 1850 rpm
- Gen set ONAN 17.5 MDKAE – 75C

### ACCOMMODATION

- Cabin (crew + passengers) 11 seats
- Cabin sink with small fridge and toilet

### PERFORMANCE

- Speed 19 knots

### NAVIGATION EQUIPMENT


- Automatic pilot Simrad Robertson AP45
- Radar 2 x Furuno
- GPS navigator Furuno GP-30/35
- Receiver Navtex NX500
- VHF radio DCS Sailor RT 2048
- Echo sounder Raytheon L750 F
- Tracker Raychart 630

### SAFETY EQUIPMENT

- Liferafts 12 persons

## JASCON 52 / 53

MULTI PURPOSE VESSEL



### DIMENSIONS

- Length o.a. 32.00 m
- Breadth o.a. 14.50 m
- Depth 3.65 m
- Operating draft 1.70 m

### MACHINERY

- Propulsion engines 3 x CAT @ 600 BHP
- Gen sets 3 x CAT @ 150 kW
- Bow thruster 1 @ 1800 RPM

### ACCOMMODATION

Fully air-conditioned for 10 persons

### TONNAGE

- GRT 410 GRT
- Loading capacity 5 t / m<sup>2</sup>

### PERFORMANCE

- Speed 10.5 knots
- Bollard pull 29 t approx.
- Endurance 552 hrs approx.

### TANK CAPACITIES

- Fuel 204 m<sup>3</sup>
- Fresh water 68 m<sup>3</sup>
- Ballast water 58 m<sup>3</sup>

### CLEAR DECK

260 m<sup>2</sup>

## DOLPHIN CARRIER

### OFFSHORE LANDING CRAFT

#### DIMENSIONS

■ Length o.a.	33.26 m	■ Breadth o.a.	8.30 m
■ Depth	2.30 m	■ Operating draft	1.55 m

#### MACHINERY

■ Propulsion engines	2 x Dorman @ 330 HP
----------------------	---------------------

#### ACCOMMODATION

Fully air-conditioned for 12 persons

#### PERFORMANCE

■ Speed	9.5 knots
■ Endurance	1,000 hrs
■ Loading capacity	96 t

#### TANK CAPACITIES

■ Fuel	19.83 m <sup>3</sup>
■ Water	29.64 m <sup>3</sup>
■ Ballast	55.44 m <sup>3</sup>

#### BOW RAMP

Hydraulic bow ramp

#### CLEAR DECK

381 m<sup>2</sup>

**DELIVERED**  
1984

**UPGRADED**  
1999

## DOLPHIN WORKER

#### DIMENSIONS

■ Length o.a.	34.00 m	■ Breadth o.a.	7.25 m
■ Depth	2.50 m	■ Operating draft	1.55 m

#### MACHINERY

■ Propulsion engines	2 x CAT @ 322 HP
■ Gen sets	1 x Lister @ 35 kVA 1 x Cummins @ 40 kVA
■ Bow thruster	31 HP

#### ACCOMMODATION

Fully air-conditioned for 6 persons

#### PERFORMANCE

■ Speed	9 knots
■ Endurance	1,000 hrs
■ Loading capacity	96 t

#### DECK EQUIPMENT

■ Windlasses	3 x	■ Gantry winch	1 x
■ Deck cargo winch	1 x	■ Deck crane	1 x Hiab @ 6.5 t
■ Hydraulic bowramp		■ Push knees	

**DELIVERED**  
1982

**UPGRADED**  
1996

## PAB 1

### PORTABLE ACCOMMODATION BLOCK



#### DIMENSIONS

##### ■ BASE SKID

- Length 30.20 m
- Width 14.50 m
- Height 1.00 m
- Weight 126 t

##### ■ UTILITY DECK

- Length 24.00 m  
(Overall with staircases 30.20 m)
- Width 14.50 m
- Height 3.35 m
- Weight 165 t

##### ■ 1st ACCOM. DECK

- Length 24.00 m  
(Overall with staircases 30.20 m)
- Width 14.50 m
- Height 3.35 m
- Weight 147 t

##### ■ 2nd ACCOM. DECK

- Length 24.00 m  
(Overall with staircases 30.20 m)
- Width 14.50 m
- Height 3.35 m
- Weight 148 t

##### ■ 3rd ACCOM. DECK

- Length 24.00 m  
(Overall with staircases 30.20 m)
- Width 14.50 m
- Height 3.35 m
- Weight 150 t

#### MACHINERY

- Fresh water hydrophore
- Hot water calorifier
- Sewage treatment plant
- Independant HVAC for each level

#### TANK CAPACITY

- Fresh water 93 m<sup>3</sup>
- Buffer tank 30 m<sup>3</sup>
- Treated sewage holding tank 15 m<sup>3</sup>

#### LIFTING GEARS

- 4 spreader beams 150 MT loading, interconnected with shackles and 12 m DIA 77 mm slings for independent levels lifting
- Possibility of lifting in one entire unit by 8 point lifting pad eyes welded on the skid

#### ACCOMMODATION

Fully air conditioned accommodation for 184 persons

#### DELIVERED

2010





## **NIGERIA**

4 Onitana Road  
P.O. Box 8755  
Ikoyi, Lagos

T +234 1 7918634  
F +234 1 2692476

## **UAE**

Hamriyah Free Zone  
P.O. Box 41961  
Sharjah

T +971 6 526 0221  
F +971 6 526 0225

## **ANGOLA**

Sector de Comércio e  
Serviços CS-4  
Talatona,  
Luanda

T + 244 292 352 2175

## **AUSTRALIA**

Level 2, The Victoria Building  
14-16 Victoria Avenue  
Perth WA 6000

T +61 8 9218 5888  
F +61 8 9218 5899

## **GHANA**

No. 1 Patrice Lumumba Road  
P.O. Box CT 6495  
Airport Residential  
Accra City

T +233 546 704 333

## **THE NETHERLANDS**

Delftseplein 27N  
3013 AA Rotterdam  
P.O. Box 176  
3000 AD Rotterdam

T +31 10 75 40 100  
F +31 10 75 40 199

## **CHINA**

Orient Int. Plaza  
Part C - Suite 1409  
85, Lou Shan Guan Road  
Shanghai 200336

T +86 21 6278 6839  
F +86 21 6278 6840



[www.seatrucksgroup.com](http://www.seatrucksgroup.com)

